
CERVICAL MEDIAL BRANCH BLOCK

CCA

Back View

C1 C2 Medial Branch Nerve C4 C5 Side View



For Neck Pain & Headache

A cervical medial branch block is a simple procedure for diagnosing and treating headaches, and neck, shoulder and upper back pain. This information sheet will explain what it is. Your doctor can explain if it is for you.

What are cervical facet joints?

Facet joints connect the vertebrae, the bones of the spine. They help guide your spine when you move. The neck area of the spine is called the cervical region. It contains seven vertebrae.

Facet joints are found on both sides of the spine. Each is about the size of a thumbnail. Cervical facet joints are named for the vertebrae they connect and the side of the spine where they are found. The right C2-3 facet joint, for example, joins the 2nd and 3rd vertebrae on the right side.

Medial branch nerves are found near facet joints. They transmit pain signals from the facet joints to your brain.

What is cervical facet joint pain?

You may feel pain if a cervical facet joint is injured. Sometimes it feels like simple muscle tension. Other times it can be a severe pain.

The cartilage inside the joint may be injured. Other times only connecting ligaments surrounding the joint are injured.

Facet pain also depends on which facet joint is affected. Pain from cervical facet joints occurs in an area from your head down to your shoulder blade. The diagram shows areas of pain *usually* associated with specifc joints.

How do I know if I have cervical facet pain?

If you have pain in one or more of these areas you may have cervical facet pain. Common tests such as x-rays or MRIs, may not show if a facet joint is causing pain.

What is a cervical medial branch block?

In a cervical medial branch block, an anesthetic is injected near the medial branch nerve. This stops the transmission of pain signals from the facet joint.

If this reduces your pain and helps you move your neck like normal, it tells the doctor which facet joint is causing the pain.

What happens during an injection?

The injection may start with an IV (medicine given intravenously) to help you relax. A local anesthetic (numbing medicine) may be used to numb your skin.

The doctor will then insert a thin needle near the medial branch nerve. Fluoroscopy, a type of x-ray, may be used to ensure the safe and proper position of the needle. A dye may also be injected to make sure the needle is at the correct spot.

Side of Cervical Spine

For Neck Pain & Headache

Once the doctor is sure the needle is correctly placed, the local anesthetic (numbing medicine) and corticosteroid (healing medicine) will be injected.

What happens after an injection?

You will be monitored for at least 30 minutes after the injection. When you are ready to leave, the clinic will give you discharge instructions. You will also be given a pain diary. It is important to fill this out because it helps your doctor know how the injection is working.

It may help to move your neck in ways that hurt before the injection, to see if the pain is still there, but do not overdo it. Take it easy for the rest of the day.

You may feel immediate pain relief and numbness in your neck for up to six hours after the injection. This tells you the medication has reached the right spot.

You can usually return to work the day after the injection, but always check with your doctor.

How long can I expect pain relief?

How long you can expect pain relief depends on how many areas are injured, and on the amount of inflammation.

If your pain goes away for a short time, but then returns, you may be a candidate for radiofrequency denervation (RFD) to the medial branch nerve. This procedure provides a more permanent disruption of pain signals.

This pamphlet is for general education only. Specific questions or concerns should always be directed to your doctor. Your doctor can explain possible risks or side effects.

